

原著

英文

<神経眼科>

1. Nakamura M, Kanamori A, Nagai-Kusuhara A, Kusuhara S, Yamada Y, Negi A: Serous macular detachment due to diabetic papillopathy detected using optical coherence tomography. Arch Ophthalmol. Jan;127(1):105-107. 2009.

<緑内障>

1. Nagai-Kusuhara A, Nakamura M, Kanamori A, Negi A : Association of optic disc configuration and clustered visual field sensitivity in glaucomatous eyes with hemifield visual field defects. J Glaucoma 18(1): 62-68. 2009.
2. Kamino M, Meguro A, Nomura N, Kashiwagi K, Mabuchi F, Iijima H, Kawase K, Yamamoto T, Nakamura M, Negi A, Sagara T, Nishida T, Inatani M, Tanihara H, Aihara M, Araie M, Fukuchi T, Abe H, Higashide T, Sugiyama K, Kanamoto T, Kiuchi Y, Iwase A, Ohno S, Inoko H, Mizuki N : Investigation of the association between the GLC3A locus and normal tension glaucoma in Japanese patients with microsattellite analysis. Clin Ophthalmol. 3: 183-188. 2009.
3. Nakamura K, Ota M, Meguro A, Nomura N, Kashiwagi K, Mabuchi F, Iijima H, Kawase K, Yamamoto T, Nakamura M, Negi A, Sagara T, Nishida T, Inatani M, Tanihara H, Aihara M, Araie M, Fukuchi T, Abe H, Higashide T, Sugiyama K, Kanamoto T, Kiuchi Y, Iwase A, Ohno S, Inoko H, Mizuki N : Association of microsattelite polymorphisms of the GPDS1 locus with normal tension glaucoma in the Japanese population. Clin Ophthalmol. 3: 307-312. 2009.
4. Nakamura J, Meguro A, Ota M, Nomura E, Nishide T, Kashiwagi K, Mabuchi F, Iijima H, Kawase K, Yamamoto T, Nakamura M, Negi A, Sagara T, Nishida T, Inatani M, Tanihara H, Aihara M, Araie M, Fukuchi T, Abe H, Higashide T, Sugiyama K, Kanamoto T, Kiuchi Y, Iwase A, Ohno S, Inoko H, Mizuki N : Association of toll-like receptor 2 gene polymorphisms with normal tension glaucoma. Mol Vis. 15: 2905-2910. 2009.
5. Kanamori A, Catrinescu MM, Traistaru M, Beaubien R, Levin LA : In Vivo Imaging Of Retinal

Ganglion Cell Axons Within The Nerve Fiber Layer. Invest Ophthalmol Vis Sci. Sep;24:2009.

6. Kanamori A, Catrinescu MM, Kanamori N, Mears KA, Beaubien R, Levin LA : Superoxide is a Necessary Signal for Apoptosis in Axonal Injury. Brain. *In press*.
7. Kanamori A, Naka M, Fukuda M, Nakamura M, Negi A : Latanoprost protects rat retinal ganglion cells from apoptosis in vitro and in vivo. Exp Eye Res. 88(3): 535-541. 2009.
8. Kanamori A, Naka M, Fukuda M, Nakamura M, Negi A : Tafluprost protects rat retinal ganglion cells from apoptosis in vitro and in vivo. Graefes Arch Clin Exp Ophthalmol. 247(10): 1353-1360. 2009.
9. Maiko Naka, Akiyasu Kanamori, Yasuko Tatsumi, Miyuki Fujioka, Azusa Nagai-Kusuhara, Makoto Nakamura, Akira Negi : Comparison of Mean Deviation With AGIS and CIGTS Scores in Association With Structural Parameters in Glaucomatous Eyes. Journal of Glaucoma. 18(5):379-384. 2009.

<網膜・硝子体>

1. Imai H, Singh RS, Fort PE, Gardner TW : Neuroprotection for diabetic retinopathy: Pharmacology and vitreoretinal surgery (Review). Dev Ophthalmol. Karger. 44:56-68. 2009.
2. Fort PE, Imai H, Rajala R, Gardner TW : Insulin Signaling in Normal and Diabetic Conditions (Bookchapter), Signal Transduction: Pathways, Mechanisms and Diseases. Springer, 101-118. 2009.
3. Honda S, Kurimoto Y, Kagotani Y, Yamamoto H, Takagi H, Uenishi M; Hyogo Macular Disease Study Group : Photodynamic therapy for typical age-related macular degeneration and polypoidal choroidal vasculopathy: a 30-month multicenter study in Hyogo, Japan. Jpn J Ophthalmol. Nov;53(6):593-597. 2009.
4. Honda S, Imai H, Yamashiro K, Kurimoto Y, Kanamori-Matsui N, Kagotani Y, Tamura Y, Yamamoto H, Ohoto S, Takagi H, Uenishi M, Negi A : Comparative assessment of photodynamic therapy for typical age-related macular degeneration

and polypoidal choroidal vasculopathy: a multicenter study in Hyogo prefecture, Japan. *Ophthalmologica*. 223(5):333-338. 2009.

5. Kondo N, Honda S, Kuno S, Negi A : Coding variant I62V in the complement factor H gene is strongly associated with polypoidal choroidal vasculopathy. *Ophthalmology*. Feb;116(2):304-310. 2009.
6. Honda S, Nagai T, Negi A : Anti-angiogenic effects of non-peptide integrin α v β 3 specific antagonist on laser-induced choroidal neovascularization in mice. *Graefes Arch Clin Exp Ophthalmol*. Apr;247(4):515-522. 2009.
7. Kondo N, Honda S, Kuno S, Negi A : Positive Association of Common Variants in *CD36* with Neovascular Age-Related Macular Degeneration. *Aging*. 1(2):266-274. 2009.
8. Kondo N, Bessho H, Honda S, Negi A : SOD2 gene polymorphisms in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Mol Vis*. Sep;9(15):1819-1826. 2009.
9. Kondo N, Honda S, Kuno S, Negi A : Role of RDBP and SKIV2L variants in the major histocompatibility complex class III region in polypoidal choroidal vasculopathy etiology. *Ophthalmology*. Aug;116(8):1502-1509. 2009.
10. Hirabayashi H, Honda S, Morioka I, Yokoyama N, Sugiyama D, Nishimura K, Matsuo M, Negi A : Inhibitory effects of maternal smoking on the development of severe retinopathy of prematurity. *Eye (Lond)*. Nov 6. 2009.[Epub ahead of print]
11. Imago M, Imai H, Nakanishi Y, Azumi A : Optical coherence tomography for monitoring the process of *Candida* endophthalmitis. *Acta Ophthalmol*. 87(6):680-682. 2009.

12. Comparative assessment of photodynamic therapy for typical age-related macular degeneration and polypoidal choroidal vasculopathy: a multicenter study in Hyogo prefecture, Japan. *Ophthalmologica*. 223:333-338. 2009.
13. Sekimukai D, Honda S, Negi A : RNA interference for apoptosis signal-regulating kinase-1 (ASK-1) rescues photoreceptor death in the rd1 mouse. *Mol Vis*. Sep;2(15):1764-1773. 2009.
14. Tagami M, Kusahara S, Honda S, Tsukahara Y, Negi A : Expression of ATP-binding cassette transporters at the inner blood-retinal barrier in a neonatal mouse model of oxygen-induced retinopathy. *Brain Res*. Aug;1283:186-193. 2009.
15. Bessho H, Kondo N, Honda S, Kuno S, Negi A : Coding variant Met72Thr in the PEDF gene and risk of neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Mol Vis*. Jun;15:1107-1114. 2009.
16. Arimura N, Ki-I Y, Hashiguchi T, Kawahara K, Biswas KK, Nakamura M, Sonoda Y, Yamakiri K, Okubo A, Sakamoto T, Maruyama I : Intraocular expression and release of high-mobility group box 1 protein in retinal detachment. *Lab Invest* 89(3): 278-289. 2009.
17. Fukuda M, Nakanishi Y, Fuse M, Yokoi N, Hamada Y, Fukagawa M, Negi A, Nakamura M : Altered expression of aquaporins 1 and 4 coincides with neurodegenerative events in retinas of spontaneously diabetic Torii rats. *Exp Eye Res*. Jan;90(1):17-25. 2010.

和文

<神経眼科>

1. 楠原あづさ、中村 誠、辰巳康子、中西頼子、根木 昭：視神経帯状萎縮眼と正常眼における HRT と OCT による視神経乳頭解析の不一致性（外国誌要覧）日本眼科学会雑誌 113(2)：127、2009.
2. 石川久美子、辰巳康子、金森章泰、山田裕子、中村 誠：興味ある経過をたどった両眼性特発性視神経炎の小児例 神経眼科 26(3)：307-313、2009.

<緑内障>

1. 北澤克明、KP2035 共同試験グループ（中村 誠）：原発開放隅角緑内障および高眼圧症患者を対象としたラタノプロスト・チモロール配合剤（KP2035）の第Ⅲ相二重盲検比較試験. 臨床眼科 63(5) : 807-815、2009.
2. 中村 誠、調 廣子、溝上國義、根木 昭：早発型発達緑内障の弱視化要因 日眼会誌 113(12) : 1145-1152、2009.
3. 平井宏二：使い捨てプリズムの必要性と一致性 緑内障診療グレーゾーンを越えて 臨床眼科 vol.63 増刊号 : 2009.

<小児眼科、斜視・弱視、屈折>

1. 山本 節：先天性眼窩疾患 JOHNS25(8) : 1155-1158、2009.
2. 野村耕治：視覚発達管理からみた小児眼内レンズ挿入術の適応 眼科臨床紀要 2(4) : 342-350、2009.
3. 野村耕治、長嶋達也、他：重症の syndromic craniosynostosis に対する集学的治療 脳神経外科 37(1) : 25-34、2009.
4. 永井隆史、辰巳康子、藤岡美幸、野村耕治：下斜筋過動を伴う V 型外斜視に対する下斜筋切腱術の治療効果 眼科臨床紀要 2(2) : 165-169、2009.

<網膜・硝子体>

1. 宮本紀子、大音壮太郎、箔本潤子、大村大作、井上貴美子、椋野洋和、秋元正行、高木 均：ポリープ状脈絡膜血管症における光線力学療法後に増加した出血に関する検討 臨床眼科 63 : 1303-1306、2009.