

原著

《和文》

<網膜硝子体>

福永とも子、松宮 亘、中村 誠：強度近視として経過観察されていた完全型先天停在性夜盲の一例 あたらしい眼科 32: 1355-1358, 2015

藤井 彩加、今井 尚徳、別所 紘奈、大西 健、田上 瑞記、近藤 仁美、田口 浩司、安積 淳：広義滲出型加齢黄斑変性に対するアフリベルセプト硝子体内投与の短期治療成績 あたらしい眼科 32:439-443, 2015

<神経眼科>

金井 友範、西崎 雅也、山田 裕子、(金森 斎修)、田邊 益美、金森 章泰、中村 誠：視神経乳頭腫脹を契機として発見された肺線癌の1例 臨床眼科 69: 1395-1399, 2015

《英文》

<緑内障・神経眼科>

Akashi A, Kanamori A, Ueda K, Inoue Y, Yamada Y, Nakamura M. The Ability of SD-OCT to Differentiate Early Glaucoma With High Myopia From Highly Myopic Controls and Nonhighly Myopic Controls. Invest Ophthalmol Vis Sci. 2015;56: 6573-80.

Ueda K, Kanamori A, Akashi A, Matsumoto Y, Yamada Y, Nakamura M. Evaluation of the distribution pattern of the circumpapillary retinal nerve fibre layer from the nasal hemiretina. Br J Ophthalmol. 2015;99:1419-23.

Inoue Y, Kato K, Kamata S, Ishikawa K, Nakamura M. Reproducibility in the global indices for multifocal visual evoked potentials and Humphrey visual fields in controls and glaucomatous eyes within a 2-year period. Doc Ophthalmol. 2015;131:115-24.

Ueda K, Kanamori A, Akashi A, Tomioka M, Kawaka Y, Nakamura M. Effects of Axial Length and Age on Circumpapillary Retinal Nerve Fiber Layer and Inner Macular Parameters Measured by 3 Types of SD-OCT Instruments. J Glaucoma. 2015 Jan 14.

Ueda K, Kanamori A, Akashi A, Kawaka Y, Yamada Y, Nakamura M. Difference in correspondence between visual field defect and inner macular layer thickness measured using three types of spectral-domain OCT instruments. Jpn J Ophthalmol. 2015;59:55-64.

Akashi A, Miki A, Kanamori A, Nakamura M. Aquaporin 9 expression is required for l-lactate to maintain retinal neuronal survival. *Neurosci Lett*. 2015;589:185-90.

<網膜・硝子体>

Yanagisawa S, Sakurada Y, Miki A, Matsumiya W, Imoto I, Honda S. The association of *elastin* gene variants with two angiographic subtypes of polypoidal choroidal vasculopathy. *PLoS One*. 10:e0120643.

Enomoto H, Miki A, Matsumiya W, Honda S. Evaluation of Oxygen Supplementation Status as a Risk Factor Associated with the Development of Severe Retinopathy of Prematurity. *Ophthalmologica*. 2015;234:135-8.

Matsumiya W, Honda S, Otsuka K, Miki A, Nagai T, Imai H, Kusuhara S, Nakamura M. Comparison of the Effectiveness and Prognostic Factors of Intravitreal Ranibizumab between Typical Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy over 24 Months of Follow-Up. *Ophthalmologica*. 2015;234:33-9.

Imai H, Tagami M, Azumi A. Scleral buckling for primary rhegmatogenous retinal detachment using noncontact wide-angle viewing system with a cannula-based 25 G chandelier endoilluminator. *Clin Ophthalmol*. 2015;9:2103-7.

Imai H, Misra GP, Wu L, Janagam DR, Gardner TW, Lowe TL. Subconjunctivally Implanted Hydrogels for Sustained Insulin Release to Reduce Retinal Cell Apoptosis in Diabetic Rats. *Invest Ophthalmol Vis Sci*. 2015;56:7839-46.

(Miyake M, Yamashiro K, Tabara Y, Suda K, Morooka S, Nakanishi H, Khor CC, Chen P, Qiao F, Nakata I, Akagi-Kurashige Y, Gotoh N, Tsujikawa A, Meguro A,) Kusuhara S, (Polasek O, Hayward C, Wright AF, Campbell H, Richardson AJ, Schache M, Takeuchi M, Mackey DA, Hewitt AW, Cuellar G, Shi Y, Huang L, Yang Z, Leung KH, Kao PY, Yap MK, Yip SP, Moriyama M, Ohno-Matsui K, Mizuki N, MacGregor S, Vitart V, Aung T, Saw SM, Tai ES, Wong TY, Cheng CY, Baird PN, Yamada R, Matsuda F; Nagahama Study Group, Yoshimura N.) Identification of myopia-associated WNT7B polymorphisms provides insights into the mechanism underlying the development of myopia. *Nat Commun*. 2015;6:6689.

(Cheng CY, Yamashiro K, Chen LJ, Ahn J, Huang L, Huang L, Cheung CMG, Miyake M, Cackett P, Yeo IY, Laude A, Mathur R, Pang J, Sim KS, Koh AH, Chen P, Lee SY, Wong D, Chan CM, Loh BK, Sun Y, Davila S, Nakata I, Nakanishi H, Akagi-Kurashige Y, Gotoh N, Tsujikawa A, Matsuda F, Mori K, Yoneya S, Sakurada Y, Iijima H, Iida T, Honda S, (Lai TYY, Tam P, Chen H, Tang S, Ding X, Wen F, Lu F, Zhang X, Shi Y, Zhao P, Zhao B, Sang J, Gong B, Dorajoo R, Yuan JM, Koh WP, van Dam RM, Friedlander Y, Lin Y, Hibberd M, Foo JN, Wang N, Wong CH, Tan GSW, Park SJ, Bhargava M, Gopal L, Naing T, Liao J, Ong PG, Mitchell P, Zhou P, Xie X, Liang J, Mei J, Jin X, Saw SM, Ozaki M, Mizoguchi T, Kurimoto Y, Woo SJ, Chung H, Yu HG, Shin JY, Park DH, Kim IT, Chang W, Sagong M, Lee SJ, Kim HW, Lee JE, Li Y, Liu J, Teo YY, Heng CK, Lim TH, Yang SK, Song K, Vithana E, Aung T, Bei JX, Zeng YX, Tai ES, Li XX, Yang Z, Park KH, Pang CP, Yoshimura N, Wong T, Khor CC.) New loci and coding variants confer risk for age-related macular degeneration in East Asians. *Nature Communications*. 6:6063.