

Publication list of Shigeru Honda as of July 14, 2014 (Only written in English)

I. Original Articles

1. Honda S, Yamamoto M, Saito N. Immunocytochemical localization of three subtypes of GABA transporter in rat retina. *Brain Res Mol Brain Res* 33:319-325, 1995.
2. Honda S, Fujii S, Sekiya Y, Yamamoto M. Retinal control on the axial length mediated by transforming growth factor-beta in chick eye. *Invest Ophthalmol Vis Sci* 37:2519-2526, 1996.
3. Ino-ue M, Honda S, Nishio H, Matsuo M, Nakamura H, Yamamoto M. Genotype and electroretinal heterogeneity in Duchenne muscular dystrophy [letter]. *Exp Eye Res* 65:861-864, 1997.
4. Sakai N, Sasaki K, Nakashita M, Honda S, Ikegaki N, Saito N. Modulation of serotonin transporter activity by a protein kinase C activator and an inhibitor of type 1 and 2A serine/threonine phosphatases. *J Neurochem* 68:2618-2624, 1997.
5. Fujii S, Honda S, Sekiya Y, Yamasaki M, Yamamoto M, Saijoh K. Differential expression of nitric oxide synthase isoforms in form-deprived chick eyes. *Curr Eye Res* 17:586-593, 1998.
6. Honda S, Hjelmeland LM, Handa JT. The use of hyperoxia to induce chronic mild oxidative stress in RPE cells in vitro. *Mol Vis* 7:63-70, 2001.
7. Honda S, Boylan SA, Hjelmeland LM, Handa JT. An optimized protocol for first strand cDNA synthesis from laser capture microdissected tissue. *Lab Invest* 81:1167-1169, 2001.
8. Miyamura N, Mishima K, Honda S, Aotaki-Keen AE, Morse LS, Handa JT, Hjelmeland LM. Age and topographic variation of insulin-like growth factor-binding protein 2 in the human rpe. *Invest Ophthalmol Vis Sci*. 42:1626-30, 2001.
9. Honda S, Weigel A, Hjelmeland LM, Handa JT. Induction of telomere shortening and replicative senescence by cryopreservation. *Biochem Biophys Res Commun*. 282:493-8, 2001.
10. Honda S, Hjelmeland LM, Handa JT. Oxidative stress-induced single-strand breaks in chromosomal telomeres of human retinal pigment epithelial cells in vitro. *Invest Ophthalmol Vis Sci*. 42:2139-44, 2001.
11. Honda S, Farboud B, Hjelmeland LM, Handa JT. Induction of an aging mRNA retinal pigment epithelial cell phenotype by matrix-containing advanced glycation end products in vitro. *Invest Ophthalmol Vis Sci*. 42:2419-25, 2001.
12. Honda S, Hjelmeland LM, Handa JT. Senescence associated beta galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro. *Br J Ophthalmol*. 86:159-62, 2002.
13. Honda S, Matsuo A, Toda H, Saito I. The Influence of eye patching on postoperative inflammation following cataract surgery. *J Cataract Refract Surg* 30:273-4, 2004.

14. Honda S, Sugita I, Miki K, Saito I. The semi-quantitative comparison of oxidative stress mediated DNA single and double strand breaks using terminal deoxynucleotidyl transferase mediated end labeling combined with a slot blot technique. *Free Radic Res.* 38:481-5, 2004.
15. Tian J, Ishibashi K, Honda S, Boylan SA, Hjelmeland LM, Handa JT. The expression of native and cultured human retinal pigment epithelial cells grown in different culture conditions. *Br J Ophthalmol.* 89: 1510-1517, 2005.
16. Imai H, Honda S, Nakanishi Y, Yamamoto H, Tsukahara Y, Negi A. Different transitions of multifocal electroretinogram recordings between patients with age-related macular degeneration and polypoidal choroidal vasculopathy after photodynamic therapy. *Br J Ophthalmol.* 90: 1524-1530, 2006.
17. Tsukahara Y, Honda S, Imai H, Kondo N, Fujii S, Yokoyama N, Hirata A, Kawaji T, Fukushima M, Tanihara H, Negi A. Autologous plasmin-assisted vitrectomy for stage 5 retinopathy of prematurity: a preliminary trial. *Am J Ophthalmol.* 144:139-41, 2007.
18. Nagai T, Imai H, Honda S, Negi A. Antiangiogenic effects of bisphosphonates on laser-induced choroidal neovascularization in mice. *Invest Ophthalmol Vis Sci.* 48:5716-21, 2007.
19. Imai H, Honda S, Kondo N, Ishibashi K, Tsukahara Y, Negi A. The up-regulation of angiogenic gene expressions in cultured retinal pigment epithelial cells grown on collagen type 1. *Curr Eye Res.* 32: 903-910, 2007.
20. Kondo N, Honda S, Ishibashi K, Tsukahara Y, Negi A. LOC387715/HTRA1 Variants in Polypoidal Choroidal Vasculopathy and Age-related Macular Degeneration in a Japanese Population. *Am J Ophthalmol.* 144: 608-612, 2007.
21. Kondo N, Honda S, Ishibashi K, Tsukahara Y, Negi A. Elastin gene polymorphisms in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Invest Ophthalmol Vis Sci.* 49:1101-5, 2008.
22. Ishikawa K, Honda S, Tsukahara Y, Negi A. Preferable use of intravitreal bevacizumab as a pretreatment of vitrectomy for severe proliferative diabetic retinopathy. *Eye (Lond).* 23:108-11, 2009.
23. Bessho H, Kondo N, Honda S, Kuno S, Negi A. Coding variant Met72Thr in the PEDF gene and risk of neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Mol Vis.* 15:1107-14, 2009.
24. Kondo N, Honda S, Kuno S, Negi A. Role of RDBP and SKIV2L variants in the major histocompatibility complex class III region in polypoidal choroidal vasculopathy etiology. *Ophthalmology.* 116:1502-9, 2009.
25. Kondo N, Bessho H, Honda S, Negi A. SOD2 gene polymorphisms in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Mol Vis.* 15:1819-26, 2009.
26. Tagami M, Kusuhara S, Honda S, Tsukahara Y, Negi A. Expression of ATP-binding cassette

- transporters at the inner blood-retinal barrier in a neonatal mouse model of oxygen-induced retinopathy. *Brain Res.* 1283:186-93, 2009.
27. Sekimukai D, [Honda S](#), Negi A. RNA interference for apoptosis signal-regulating kinase-1 (ASK-1) rescues photoreceptor death in the rd1 mouse. *Mol Vis.* 15:1764-73, 2009.
 28. [Honda S](#), Nagai T, Negi A. Anti-angiogenic effects of non-peptide integrin alphavbeta3 specific antagonist on laser-induced choroidal neovascularization in mice. *Graefes Arch Clin Exp Ophthalmol.* 247:515-22, 2009.
 29. [Honda S](#), Imai H, Yamashiro K, Kurimoto Y, Kanamori-Matsui N, Kagotani Y, Tamura Y, Yamamoto H, Ohoto S, Takagi H, Uenishi M, Negi A. Comparative assessment of photodynamic therapy for typical age-related macular degeneration and polypoidal choroidal vasculopathy: a multicenter study in Hyogo prefecture, Japan. *Ophthalmologica.* 223:333-8, 2009.
 30. [Honda S](#), Kurimoto Y, Kagotani Y, Yamamoto H, Takagi H, Uenishi M; Hyogo Macular Disease Study Group. Photodynamic therapy for typical age-related macular degeneration and polypoidal choroidal vasculopathy: a 30-month multicenter study in Hyogo, Japan. *Jpn J Ophthalmol.* 53:593-7, 2009.
 31. Kondo N, [Honda S](#), Kuno S, Negi A. Coding variant I62V in the complement factor H gene is strongly associated with polypoidal choroidal vasculopathy. *Ophthalmology.* 116:304-10, 2009.
 32. Kondo N, [Honda S](#), Kuno S, Negi A. Positive association of common variants in CD36 with neovascular age-related macular degeneration. *Aging (Albany NY).* 1:266-74, 2009.
 33. Hirabayashi H, [Honda S](#), Morioka I, Yokoyama N, Sugiyama D, Nishimura K, Matsuo M, Negi A. Inhibitory effects of maternal smoking on the development of severe retinopathy of prematurity. *Eye (Lond).* 24:1024-7, 2010.
 34. Tagami M, Kusuhara S, Imai H, Uemura A, [Honda S](#), Tsukahara Y, Negi A. MRP4 knockdown enhances migration, suppresses apoptosis, and produces aggregated morphology in human retinal vascular endothelial cells. *Biochem Biophys Res Commun.* 400:593-8, 2010.
 35. [Honda S](#), Nagai T, Kondo N, Fukuda M, Kusuhara S, Tsukahara Y, Negi A. Therapeutic effect of oral bisphosphonates on choroidal neovascularization in the human eye. *J Ophthalmol.* ID 206837, 2010.
 36. Kondo N, Bessho H, [Honda S](#), Negi A. Additional evidence to support the role of a common variant near the complement factor I gene in susceptibility to age-related macular degeneration. *Eur J Hum Genet.* 18:634-5, 2010.
 37. Kondo N, Bessho H, [Honda S](#), Negi A. Complement Factor H Y402H Variant and Risk of Age-Related Macular Degeneration in Asians: A Systematic Review and Meta-Analysis. *Ophthalmology.* 118: 339-44, 2011.
 38. Bessho H, [Honda S](#), Imai H, Negi A. Natural course and funduscopy findings of polypoidal

- choroidal vasculopathy in a Japanese population over one year of follow-up. *Retina*: 31:1598-602, 2011.
39. Bessho H, Honda S, Kondo N, et al. Positive association of complement factor H gene variants with the effect of photodynamic therapy in polypoidal choroidal vasculopathy. *J Clin Experiment Ophthalmol*. 2:122, 2011.
 40. Yagi M, Yamamori M, Morioka I, Yokoyama N, Honda S, Negi A, Nakamura T, Okamura N, Okumura K, Sakaeda T, Matsuo M. VEGF 936C>T is predictive of threshold retinopathy of prematurity in Japanese infants with a 30-week gestational age or less. *Research and Reports in Neonatology* 1: 5–11, 2011.
 41. Matsuo M, Honda S, Matsumiya W, Kusuhara S, Tsukahara Y, Negi A. Comparison between anti-vascular endothelial growth factor therapy and photodynamic therapy for myopic choroidal neovascularization. *Eur J Ophthalmol*. 2012; 22(2): 210-215.
 42. Bessho H, Honda S, Kondo N, Negi A. The association of ARMS2 polymorphisms with phenotype in typical neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *Mol Vis*. 17:977-982, 2011.
 43. Tagami M, Kusuhara S, Imai H, Honda S, Tsukahara Y, Negi A. Impact of Intravitreal Injection of Tissue Plasminogen Activator on Full-Field Electroretinogram in Patients with Macular Oedema Secondary to Retinal Vein Occlusion. *Ophthalmologica*. 226:81-86, 2011.
 44. Matsumiya W, Honda S, Bessho H, Kusuhara S, Tsukahara Y, Negi A. Early responses to intravitreal ranibizumab in typical neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. *J Ophthalmol*. ID 742020, 2011.
 45. Arakawa S, Takahashi A, Ashikawa K, Hosono N, Aoi T, Yasuda M, Oshima Y, Yoshida S, Enaida H, Tsuchihashi T, Mori K, Honda S, Negi A, Arakawa A, Kadonosono K, Kiyohara Y, Kamatani N, Nakamura Y, Ishibashi T, Kubo M. Genome-wide association study identifies two susceptibility loci for exudative age-related macular degeneration in the Japanese population. *Nat Genet*. 2011;43:1001-4.
 46. Yanagisawa S, Kondo N, Miki A, Matsumiya W, Kusuhara S, Tsukahara Y, Honda S, Negi A. A Common Complement C3 Variant Is Associated with Protection against Wet Age-Related Macular Degeneration in a Japanese Population. *PLoS One*. 2011;6:e28847.
 47. Bessho H, Honda S, Kondo N, Kusuhara S, Tsukahara Y, Negi A. The association of CD36 variants with polypoidal choroidal vasculopathy compared to typical neovascular age-related macular degeneration. *Mol Vis*. 18:121-7, 2012.
 48. Nakano S, Honda S, Oh H, Kita M, Negi A. Effect of photodynamic therapy (PDT), posterior subtenon injection of triamcinolone acetonide with PDT, and intravitreal injection of ranibizumab with PDT for retinal angiomatous proliferation. *Clin Ophthalmol*. 6:277-82, 2012.
 49. Nishimura Y, Taguchi M, Nagai T, Fujihara M, Honda S, Uenishi M. Comparison of the effect

- between pegaptanib and ranibizumab on exudative age-related macular degeneration with small lesion size. *Clin Ophthalmol.* 6:365-8, 2012.
50. Honda S, Bessho H, Kondo N, Kusuhara S, Tsukahara Y, Negi A. Positive association of CD36 gene variants with the visual outcome of photodynamic therapy in polypoidal choroidal vasculopathy. *Mol Vis.* 18: 2796-804, 2012.
 51. Miki A, Honda S, Kondo N, Negi A. The association of age-related maculopathy susceptibility 2 (ARMS2) and complement factor H (CFH) variants with two angiographic subtypes of polypoidal choroidal vasculopathy. *Ophthalmic Genet.* 34:146-50, 2013.
 52. Matsumiya W, Kusuhara S, Shimoyama T, Honda S, Tsukahara Y, Negi A. Predictive value of preoperative optical coherence tomography for visual outcome following macular hole surgery: effects of imaging alignment. *Jpn J Ophthalmol.* 57:308-15, 2013.
 53. Miki A, Honda S, Kojima H, Nishizaki M, Nagai T, Fujihara M, Uenishi M, Kita M, Negi A. The visual outcome of photodynamic therapy for typical neovascular age-related macular degeneration and polypoidal choroidal vasculopathy over 5 years of follow-up. *Jpn J Ophthalmol.* 57:301-7, 2013.
 54. Matsumiya W, Honda S, Kusuhara S, Tsukahara Y, Negi A. Effectiveness of intravitreal ranibizumab in exudative age-related macular degeneration (AMD): comparison between typical neovascular AMD and polypoidal choroidal vasculopathy over a 1 year follow-up. *BMC Ophthalmol.* 13:10, 2013.
 55. Miki A, Honda S, Nagai T, Tsukahara Y, Negi A. The effects of oral bisphosphonates on myopic choroidal neovascularization over 2 years of follow-up: a pilot study comparing with anti-VEGF therapy and photodynamic therapy. *Br J Ophthalmol.* 97:770-4, 2013.
 56. Oishi A, Kojima H, Mandai M, Honda S, Matsuoka T, Oh H, Kita M, Nagai T, Fujihara M, Bessho N, Uenishi M, Kurimoto Y, Negi A. Comparison of the Effect of Ranibizumab and Verteporfin for Polypoidal Choroidal Vasculopathy: 12-Month LAPTOP Study Results. *Am J Ophthalmol.* 156:644-51, 2013.
 57. Miki A, Kondo N, Yanagisawa S, Bessho H, Honda S, Negi A. Common variants in the complement factor H gene confer genetic susceptibility to central serous chorioretinopathy. *Ophthalmology.* 2014;121:1067-72.
 58. Oishi A, Miyamoto N, Mandai M, Honda S, Matsuoka T, Oh H, Kita M, Nagai T, Bessho N, Uenishi M, Kurimoto Y, Negi A. LAPTOP study: a 24-month trial of verteporfin versus ranibizumab for polypoidal choroidal vasculopathy. *Ophthalmology.* 2014;121:1151-2.
 59. Matsumiya W, Honda S, Yanagisawa S, Miki A, Nagai T, Tsukahara Y. Evaluation of clinical and genetic indicators for the early response to intravitreal ranibizumab in exudative age-related macular degeneration. *Pharmacogenomics.* 2014;15:833-43.
 60. Honda S, Miki A, Yanagisawa S, Matsumiya W, Nagai T, Tsukahara Y. Comparison of the

Outcomes of Photodynamic Therapy between Two Angiographic Subtypes of Polypoidal Choroidal Vasculopathy. *Ophthalmologica*. 2014 Jun 27. [Epub ahead of print]

II. Case Reports

1. Mikawa A, Honda S, Sugita I, Okamoto N, Toda H. Severe post-laser suprachoroidal haemorrhaging in a diabetic patient receiving anticoagulants. *Br J Ophthalmol*. 88:1101-2, 2004.
2. Honda S, Hirai T, Handa JT, Okuno T, Saito I. The expression of cell cycle related proteins in a rapidly growing uveal malignant melanoma. *Retina* 24:646-649, 2004.
3. Honda S, Hirabayashi H, Tsukahara Y, Negi A. Acute contraction of the proliferative membrane after an intravitreal injection of bevacizumab for advanced retinopathy of prematurity. *Graefes Arch Clin Exp Ophthalmol*. 246:1061-3, 2008.
4. Tagami M, Kusuhara S, Honda S, Tsukahara Y, Negi A. Rapid regression of retinal hemorrhage and neovascularization in a case of familial exudative vitreoretinopathy treated with intravitreal bevacizumab. *Graefes Arch Clin Exp Ophthalmol*. 246:1787-9, 2008.
5. Matsumiya W, Honda S, Imai H, Kusuhara S, Tsukahara Y, Negi A. A Case of Bilateral Macular Holes Showing Onset and Spontaneous Closure over Very Short Intervals. *Case Report Ophthalmol*. 1:47-52, 2010.
6. Tagami M, Honda S, Morioka I, Matsuo M, Negi A. Bilateral Optic Disc Anomalies Associated with PAX2 Mutation in a Case of Potter Sequence. *Case Report Ophthalmol*. 1:94-98, 2010.
7. Fujioka K, Morioka I, Nozu K, Nishimoto M, Amano M, Tagami M, Honda S, Yokoyama N, Yamada H, Iijima K, Matsuo M. A surviving case of papillorenal syndrome with the phenotype of Potter sequence. *Pediatr Int*. 53:406-8, 2011.
8. Imai H, Honda S, Tsukahara Y, Negi A. Macular edema formation and deterioration of retinal function after intravitreal bevacizumab injection for proliferative diabetic retinopathy. *Case Report Ophthalmol*. 2011;2:314-8.
9. Otsuka K, Imai H, Shimoyama T, Nagai T, Honda S, Azumi A. Recurrence of macular hole retinal detachment after intravitreal ranibizumab injection for the treatment of choroidal neovascularization from the remaining macular hole edge. *Case Report Ophthalmol*. 3:424-7, 2012.
10. Fujioka K, Morioka I, Honda S, Tsukahara Y, Miwa A, Shibata A, Tanimura K, Yokoyama N, Yamada H, Iijima K. Severe retinopathy of prematurity with retinal detachment in monozygotic twins. *Pediatr Int*. 55:366-8, 2013.
11. Shimoyama T, Imai H, Honda S, Negi A. A case of choroidal neovascularization secondary to unilateral retinal pigment epithelium dysgenesis. *Case Rep Ophthalmol*. 2014;5:34-7.

III. Review

1. Yamamoto M, Tsukahara Y, Matsuo H, Tanaka Y, Honda S. Congenital cataract. Ed: Edward Cotrier, R.G.Landes 1994;245-250.
2. Honda S, Matsumiya W, Negi A. Polypoidal choroidal vasculopathy: clinical features and genetic predisposition. *Ophthalmologica* 2014;231:59-74.